





AV PRO
MK3



ANGELBIRD.COM

FOR YOUR
CREATIVE WORKFLOW



AS AN AUDIO/VIDEO PROFESSIONAL, YOU KNOW THAT WHEN THE ACTION STARTS, THERE'S NO TIME FOR SECOND-GUESSING – YOU AND YOUR GEAR MUST BE READY TO GO, AND YOU EITHER ACT WITH CONFIDENCE OR RISK LOSING THE SHOT. FEATURES ROBUST 9MM CASING AND HIGH COMPATIBILITY WITH YOUR CAMERAS, RECORDERS, AND PLAYERS.

A
V
P
R
O
M
K
3

SPECIFICATIONS AND FEATURES



Sustained read speed **560 MB/s**
Sustained write speed **500 MB/s**



Solid Grip™, Shock & temperature proof



250GB | 500GB | 1TB



X-ray & magnetic proof



Stable Stream™



ESD & overload protection



Sticker-free™
hassle free and environmentally friendly



Rock-solid build

S S D

SPECIFICATIONS / ORDERING

AVPRO MK3

GENERAL SPECIFICATIONS

Capacity
250GB | 500GB | 1TB

Dimensions
100.2 × 69.9 × 9.2 mm
(3.94 × 2.75 × 0.36 in)

Form Factor
2.5 in, 9 mm

Weight
~ 70.0g

TECHNICAL SPECIFICATIONS

Interface
SATA 6Gb/s, 3Gb/s and 1.5Gb/s supported
SATA 3.1 compliant

Over provisioning
~ 9 %

Flash
Grade A Synchronous MLC

Features
Temperature sensor, overload protection, TRIM, ECC, EMS protection, built-in cache, SMART

PERFORMANCE SPECIFICATIONS

Sustained Read Speed ¹
560 MB/s

Sustained Write Speed ¹
500 MB/s

Access Time
~ 0.1 ms

RELIABILITY SPECIFICATIONS

MTBF
> 2,000,000 hours

Data Reliability
Built-in EDC / ECC function

Data Retention
10 years at 25°C

Endurance
250 GB: up to 1,125 TBW
500 GB: up to 2,250 TBW
1 TB: TBA

Certifications
RoHS, FCC and CE compliant, REACH

ELECTRICAL SPECIFICATIONS

DC input voltage
5V ± 5%

Power usage (idle/max)
250 GB: 0.35W | 2.6W
500 GB: 0.35W | 3.0W
1 TB: TBA

ENVIRONMENTAL SPECIFICATIONS

Shock resistance (operating)
2000G

Vibration resistance (operating)
20G

Operating Temperature
0°C ~ +70°C

Storage Temperature
-55°C ~ +85°C

Operating Humidity
5% to 95% non-condensing

WARRANTY²

3-year limited warranty

PACKAGE CONTENT

- SSD AVPRO MK3
- Label sticker
- Activation code for the full limited warranty and additional free software licenses and content

RETAIL PACKAGING DETAILS

Box dimension
11.8 × 11.0 × 3.4 cm
(4.65 × 4.33 × 1.33 in)

Weight
~150.0g / ~5.28 oz

¹ Measured with ATTO Benchmark Tool 2.46

² To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.

Mac® is a registered trademark of Apple Inc.
Windows® is a registered trademark of Microsoft Corp.
Linux® is a registered trademark of Linus Torvalds.

ORDERING INFORMATION

| | Capacity | SKU | EAN | UPC | EUR | USD | SFR |
|---|----------|-----------|---------------|--------------|--------|--------|--------|
| ● | 250GB | AVP250MK3 | 9120056583782 | 812937022600 | 149,90 | 169,90 | 169,90 |
| ● | 500GB | AVP500MK3 | 9120056583751 | 812937022570 | 259,90 | 269,90 | 269,90 |
| ● | 1TB | TBA | TBA | TBA | TBA | TBA | TBA |

All listed prices are recommended retail prices, NET without local TAX and VAT.

SSD