





SSD 2GO  
PKT XT



ANGELBIRD.COM

TRUE GREATNESS CANNOT BE MEASURED  
SMALL AND PROUD



OUR LIVES ARE BUSIER THAN EVER. AND WHETHER WE'RE WORKING, CREATING, OR JUST HAVING FUN, IT SEEMS LIKE WE'RE ALWAYS ON THE MOVE. THE TECHNOLOGY WE CARRY WITH US – THOSE INDISPENSABLE DEVICES THAT GO WHERE WE GO – MUST BE RUGGED, RELIABLE, AND EASY TO TAKE ALONG. AND A TOUCH OF STYLE NEVER HURTS.

P  
K  
T  
X  
T

## SPECIFICATIONS AND FEATURES



Read speed up to **1GB/s**  
Write speed up to **900MB/s**




Shock, dust, splash water,  
temperature proof



1TB | 2TB | 4TB



X-ray & magnetic proof



**USB 3.1 Gen 2, 10Gb/s**  
backwards compatible with  
Thunderbolt 3, USB 3.1 Gen 1, USB 3, USB 2



**Solid Connect™**



**Stable Stream™**



**ESD & overload protection**



**TRIM support**



**Free engraving**

### INCLUDED CABLES



USB C

USB C



USB C

USB A

(23 cm / 9.1 in)



**Mac | Windows |  
Linux | Android**  
and compatible audio, video devices

**SSD  
2GO**

Specifications are subject to change without notice.  
Specifications are provided "as is" without warranty of any kind.

201804231033

# SPECIFICATIONS

PKT XT

## GENERAL SPECIFICATIONS

**Type**  
Ultra portable USB 3.1 Gen2 SSD drive

**Capacity**  
1TB | 2TB | 4TB

**Connectivity**  
Thunderbolt 3 compatible, USB 3.1 Gen2, USB 3.1 Gen1, USB 3, USB 2 Type-A and Type-C

**Dimensions**  
85.5 × 51.5 × 9.5 mm  
(3.37 × 2.03 × 0.37 in)

**Weight**  
~ 77.0 g | ~ 2.7 oz

## TECHNICAL SPECIFICATIONS

**Flash**  
Grade A MLC NAND

**Features**  
Overload protection, TRIM<sup>1</sup>, ECC, EMS protection, SMART<sup>1</sup>, ESD protection

## PERFORMANCE SPECIFICATIONS

**Read Speed** <sup>2</sup>  
Up to 1 GB/s

**Write Speed** <sup>2</sup>  
Up to 900 MB/s

**Access Time**  
~ 0.5 ms

**MTBF**  
> 2,400,000 hours

**Certifications**  
RoHS, CE, FCC

## ENVIRONMENTAL SPECIFICATIONS

**Operating Temperature**  
-20 °C ~ +70 °C


**Storage Temperature**  
-40 °C ~ +85 °C

**Operating Humidity**  
5 % to 95 % non-condensing

## WARRANTY <sup>3</sup>

3-year limited warranty

## COLORS

 Graphite Grey

## PACKAGE CONTENT

- SSD2GO PKT XT
- Type-A to Type-C cable
- Type-C to Type-C cable
- Activation code for the full limited warranty and additional free software licenses and content

## RETAIL PACKAGING DETAILS

**Box dimension**  
172 × 113 × 35 mm  
(6.77 × 4.45 × 1.38 in)

**Weight**  
~239.0 g | ~8.4 oz





<sup>1</sup> TRIM and SMART support depending on the OS used

<sup>2</sup> Measured with ATTO Benchmark Tool 3.05

<sup>3</sup> To receive the full limited warranty, the product needs to be registered on the Angelbird Personal Service Portal within 30 days after purchase. If not registered within this period, the market-specific legal guarantee period comes into force.

Mac® is a registered trademark of Apple Inc.  
Windows® is a registered trademark of Microsoft Corp.  
Linux® is a registered trademark of Linus Torvalds.  
All other marks are property of their respective owners.

## ORDERING INFORMATION

 Capacity	SKU	EAN	UPC
 1 TB	PKTUXT31-1000PK	9120056583379	812937022198
 2 TB	PKTUXT31-2000PK	9120056583386	812937022204
 4 TB	PKTUXT31-4000PK	9120056583393	812937022211

SSD  
2GO